

MIX

STONE PORCELAIN TILES

8 COLOURS | 3 FINISHES | 5 FORMATS



BLUEPRINT
CERAMICS



The collection presents a unique combination of the classic split slates, known for their characteristic pale veining and gentle hues, and sedimentary stones, marked by a fine-grain backdrop and pronounced color variations. This fusion of two diverse materials culminates into a novel style, which does not naturally exist. This new style, therefore, presents a unique and innovative design solution, offering an exclusive visual appeal. The collection symbolizes the harmony of contrasting materials, translating into a beautiful blend of subtlety and boldness, tranquility and vibrancy.


Project Suitability|

All project types internal walls
Commercial Projects
Retail & Hospitality
Residential, Renovation & New Build

MIX

STONE PORCELAIN TILES

8 COLOURS | 3 FINISHES | 2 FORMATS



MIX

STONE PORCELAIN TILES

8 COLOURS | 3 FINISHES | 5 FORMATS



MIX

STONE PORCELAIN TILES

8 COLOURS | 3 FINISHES | 5 FORMATS



BPBMRMX01
9mm

300x600mm Natural/Soft
600x600mm Natural/Soft/Structured
600x1200mm Natural/Soft/Structured
1200x1200mm Soft

6mm
1200x2780mm Soft



300x300mm



300x300mm



300x300mm

**BLUEPRINT
CERAMICS**

MIX

STONE PORCELAIN TILES

8 COLOURS | 3 FINISHES | 5 FORMATS

MODULAR



BPBMRMX02

9mm

300x600mm Natural/Soft

600x600mm Natural/Soft/Structured

600x1200mm Natural/Soft/Structured

1200x1200mm Soft

6mm

1200x2780mm Soft

20mm

600x900mm Structured

600x600mm Structured

600x1200mm Structured



300x300mm



300x300mm



300x300mm

**BLUEPRINT
CERAMICS**

MIX

STONE PORCELAIN TILES

8 COLOURS | 3 FINISHES | 5 FORMATS

MODULAR



BPBMRX03

9mm

300x600mm Natural/Soft

600x600mm Natural/Soft/Structured

600x1200mm Natural/Soft/Structured

1200x1200mm Soft

6mm

1200x2780mm Soft

20mm

600x900mm Structured

600x600mm Structured

600x1200mm Structured



300x300mm



300x300mm



300x300mm

**BLUEPRINT
CERAMICS**

MIX

STONE PORCELAIN TILES

8 COLOURS | 3 FINISHES | 5 FORMATS

MODULAR



BPBMRX04

9mm

300x600mm Natural/Soft

600x600mm Natural/Soft/Structured

600x1200mm Natural/Soft/Structured

1200x1200mm Soft

6mm

1200x2780mm Soft

20mm

600x900mm Structured

600x600mm Structured

600x1200mm Structured



300x300mm



300x300mm




300x300mm

**BLUEPRINT
CERAMICS**

MIX

STONE PORCELAIN TILES

8 COLOURS | 3 FINISHES | 5 FORMATS



BPBMRX05

9mm

300x600mm Natural/Soft

600x600mm Natural/Soft/Structured

600x1200mm Natural/Soft/Structured

1200x1200mm Soft

6mm

1200x2780mm Soft

20mm

600x900mm Structured

600x600mm Structured

600x1200mm Structured



300x300mm



300x300mm





300x300mm

**BLUEPRINT
CERAMICS**

MIX

STONE PORCELAIN TILES

8 COLOURS | 3 FINISHES | 5 FORMATS



BPBMRX06

9mm

300x600mm Natural/Soft

600x600mm Natural/Soft/Structured

600x1200mm Natural/Soft/Structured

1200x1200mm Soft

6mm

1200x2780mm Soft

20mm

600x900mm Structured

600x600mm Structured


600x1200mm Structured



300x300mm



300x300mm



300x300mm

**BLUEPRINT
CERAMICS**

MIX


STONE PORCELAIN TILES

8 COLOURS | 3 FINISHES | 5 FORMATS



BPBMRMX07
9mm

300x600mm Natural/Soft
600x600mm Natural/Soft
600x1200mm Natural/Soft



300x300mm



300x300mm




300x300mm

**BLUEPRINT
CERAMICS**

MIX

STONE PORCELAIN TILES

8 COLOURS | 3 FINISHES | 5 FORMATS




BPBMRX09

9mm


300x600mm Natural/Soft
600x600mm Natural/Soft
600x1200mm Natural/Soft



300x300mm



300x300mm



300x300mm

**BLUEPRINT
CERAMICS**

TECHNICAL DATA

FINISHES


NATURAL/SOFT/STRUCTURED

THICKNESS

9/20/6mm

TEST DESCRIPTION	TEST REQUIREMENT	VALUE
Sides	BS EN ISO 10545-2	Conforms
Thickness	BS EN ISO 10545-2	Conforms
Straightness of Sides	BS EN ISO 10545-2	Conforms
Rectangularity	BS EN ISO 10545-2	Conforms
Surface Flatness	BS EN ISO 10545-2	Conforms
Water Absorbtion	BS EN ISO 10545-3	≤ 0,1%
Flexion Resistance	BS EN ISO 10545-4	6 mm: S ≥ 1.100 N R ≥ 45 N/mm ² 9 mm: S ≥ 2.400 N R ≥ 48 N/mm ² 20 mm: S ≥ 12.500 N R ≥ 48 N/mm
Impact Resistance	BS EN ISO 10545/5	> 0,80
Abrasion Resistance	BS EN ISO 10545-6	< 150 m ³
Frost Resistance	BS EN ISO 10545-12	N/A
Chemical Resistance	BS EN ISO 10545-13	A/LA/HA

Special Pieces



**BLUEPRINT
CERAMICS**