

ORBIT

STONE EFFECT PORCELAIN

5 COLOURS | 1 FINISHES | 5 FORMATS



BLUEPRINT
CERAMICS



Orbit moves with a quiet gravitational pull, offering a softly shaded stone-inspired aesthetic that suits modern interiors across commercial, hospitality, workplace, and residential developments. The collection brings a balanced surface expression: calm, refined, and architecturally adaptable.

Project Suitability

All project types Internal/External Walls/
Floors

Commercial Projects


Retail & Hospitality

Residential, Renovation & New Build

ORBIT

STONE EFFECT PORCELAIN TILES

5 COLOURS | 1 FINISHES | 5 FORMATS



ORBIT

STONE EFFECT PORCELAIN TILES


5 COLOURS | 1 FINISHES | 5 FORMATS



ORBIT

STONE EFFECT PORCELAIN TILES

5 COLOURS | 1 FINISHES | 5 FORMATS



BPOR01

300x600mm
600x600mm
600x1200mm
800x800mm
1200x1200mm



BLUEPRINT
CERAMICS

ORBIT

STONE EFFECT PORCELAIN TILES

5 COLOURS | 1 FINISHES | 5 FORMATS



BPOR02

300x600mm
600x600mm
600x1200mm
800x800mm
1200x1200mm



BLUEPRINT
CERAMICS

ORBIT

STONE EFFECT PORCELAIN TILES

5 COLOURS | 1 FINISHES | 5 FORMATS



BPOR03

300x600mm
600x600mm
600x1200mm
800x800mm
1200x1200mm



BLUEPRINT
CERAMICS

ORBIT

STONE EFFECT PORCELAIN TILES

5 COLOURS | 1 FINISHES | 5 FORMATS



BPOR04

300x600mm
600x600mm
600x1200mm
800x800mm
1200x1200mm



BLUEPRINT
CERAMICS

ORBIT

STONE EFFECT PORCELAIN TILES

5 COLOURS | 1 FINISHES | 5 FORMATS



BPOR05

300x600mm
600x600mm
600x1200mm
800x800mm
1200x1200mm



BLUEPRINT
CERAMICS

ORBIT

STONE EFFECT PORCELAIN TILES

5 COLOURS | 1 FINISHES | 5 FORMATS

TECHNICAL DATA

FINISHES

Matt

THICKNESS

9mm

TEST DESCRIPTION	TEST REQUIREMENT	VALUE
Sides	BS EN ISO 10545-2	Conforms
Thickness	BS EN ISO 10545-2	Conforms
Straightness of Sides	BS EN ISO 10545-2	Conforms
Rectangularity	BS EN ISO 10545-2	Conforms
Surface Flatness	BS EN ISO 10545-2	Conforms
Water Absorbtion	BS EN ISO 10545-3	≤ 0,2%
Flexion Resistance	BS EN ISO 10545-4	Conforms
Breaking Strength	BS EN ISO 10545/5	Conforms
Abrasion Resistance	BS EN ISO 10545-6	Conforms
Frost Resistance	BS EN ISO 10545-12	Resistant
Chemical Resistance	BS EN ISO 10545-13	Conforms
Resistance to Stains	BS EN ISO 10545-14	Resistant

**BLUEPRINT
CERAMICS**